



Opel/Vauxhall Grandland  
Standard Safety Equipment

2025



Adult Occupant



82%

Child Occupant



85%

Vulnerable Road Users



79%

Safety Assist



62%

## SPECIFICATION

Tested Model	Peugeot e3008, 73kWh, LHD
Body Type	- 5 door SUV
Year Of Publication	2025
Kerb Weight	2104kg
VIN From Which Rating Applies	- all Opel/Vauxhall Grandlands
Class	Small SUV

### General comments

The Opel/Vauxhall Grandland is a 'corporate twin' to the Peugeot 3008. Safety equipment and performance is identical between the two cars, so this rating is based on an assessment of the Peugeot.

## SAFETY EQUIPMENT

OTHER SYSTEMS	
Active Bonnet	✘
AEB Vulnerable Road Users	●
AEB Pedestrian - Reverse	✘
Cyclist Dooring Prevention	✘
AEB Motorcyclist	●
AEB Car-to-Car	●
Speed Assistance	●
Lane Assist System	●
Fatigue / Distraction Detection	●

**Note: Other equipment may be available on the vehicle but was not considered in the test year.**


- Fitted to the vehicle as standard   
 ○ Fitted to the vehicle as part of the safety pack  
○ Not fitted to the test vehicle but available as option or as part of the safety pack   
 ✘ Not available   
 — Not applicable

 ADULT OCCUPANT

Total 33.1 Pts / 82%

 GOOD     ADEQUATE     MARGINAL     WEAK     POOR

Frontal Impact 13.2 / 16 Pts



Mobile Progressive Deformable Barrier      Full Width Rigid Barrier

Lateral Impact 13.5 / 16 Pts



Side Mobile Barrier      Side Pole      Far-Side Excursion      Occupant Interaction

Rear Impact 4.0 / 4 Pts



Rear Seat      Front Seat

ADULT OCCUPANT

Total 33.1 Pts / 82%

GOOD
  ADEQUATE
  MARGINAL
  WEAK
  POOR

Rescue and Extrication		2.5 / 4 Pts
Rescue Sheet	Available, ISO compliant	
Advanced eCall	Available	
Multi Collision Brake	Available	
Submergence Check	Partially Compliant	

**Comments**

The passenger compartment remained stable in the frontal offset test. Dummy readings indicated good protection of the knees and femurs of both the driver and the front seat passenger. Opel/Vauxhall showed that a similar level of protection would be provided to occupants of different sizes and to those sitting in different positions. Analysis of the deceleration of the impact trolley during the test, and analysis of the deformable barrier after the test, revealed that the car would be a moderately benign impact partner in a frontal collision. In the full-width rigid barrier test, protection was good or adequate for all critical body regions of the driver rear seat passenger. In both the side barrier test and the more severe side pole impact, good protection was provided to all critical body areas and the car scored maximum points in this part of the assessment. Control of excursion (the extent to which a body is thrown to the other side of the vehicle when it is hit from the far side) was found to be marginal. The Opel/Vauxhall Grandland does not have a countermeasure to mitigate against occupant-to-occupant injuries in such impacts. Tests on the front seats and head restraints demonstrated good protection against whiplash injuries in the event of a rear-end collision. A geometric analysis of the rear seats also indicated good whiplash protection. The car has an advanced eCall system which alerts the emergency services in the event of a crash, and a system to prevent secondary impacts after the car has been in a collision. Opel/Vauxhall demonstrated that the doors would be openable to allow occupants to escape in the event of vehicle submergence.

**CHILD OCCUPANT**

Total 42.0 Pts / 85%

■ GOOD   
 ■ ADEQUATE   
 ■ MARGINAL   
 ■ WEAK   
 ■ POOR

Crash Test Performance based on 6 & 10 year old children

24.0 / 24 Pts



Restraint for 6 year old child: *Britax Römer Kidfix i-Size OEM*  
 Restraint for 10 year old child: *Britax Römer Kidfix i-Size OEM*

**Safety Features**

6.0 / 13 Pts

	Front Passenger	2nd row outboard	2nd row center
Isofix	✗	●	✗
i-Size	✗	●	✗
Integrated CRS	✗	✗	✗
Top tether	✗	●	✗
Child Presence Detection	✗	✗	✗

● Fitted to test car as standard   
 ○ Not on test car but available as option   
 ✗ Not available

**CRS Installation Check**

12.0 / 12 Pts

i-Size	Seat Position				
	Front		2nd row		
			Left	center	Right
	—	—	●	—	●

● Easy   
 ● Difficult   
 ● Safety critical   
 ✗ Not allowed  
✗ Airbag ON   
 Rearward facing restraint installation not allowed   
✗ Airbag OFF

Version\_090525

**CHILD OCCUPANT**

Total 42.0 Pts / 85%

Isofix	Seat Position				
	Front		2nd row		
			Left	center	Right
	-	-	●	-	●
	-	-	●	-	●
	-	-	●	-	●
	-	-	●	-	●
	-	-	●	-	●
	-	-	●	-	●

● Easy    ● Difficult    ● Safety critical    ✗ Not allowed  
 Airbag ON    Rearward facing restraint installation not allowed    Airbag OFF

Seatbelt Attached	Seat Position				
	Front		2nd row		
			Left	center	Right
	✗	●	●	●	●
	●	●	●	●	●
	●	●	●	●	●
	●	●	●	●	●
	●	●	●	✗	●
	✗	●	●	✗	●

● Easy    ● Difficult    ● Safety critical    ✗ Not allowed  
 Airbag ON    Rearward facing restraint installation not allowed    Airbag OFF

Version\_090525



## CHILD OCCUPANT

Total 42.0 Pts / 85%

## Comments

In both the frontal offset and the side barrier tests, protection was good for all critical body areas for both child dummies, and the Grandland scored maximum points in this part of the assessment. The front passenger airbag can be disabled to allow a rearward-facing child restraint to be used in that seating position. Clear information is provided to the driver regarding the status of the airbag and the system was rewarded. The Grandland has no 'child presence detection', a system which can alert others if children have been left in the car. All of the child restraint types for which the Opel/Vauxhall Grandland is designed could be properly installed and accommodated in the car.

**VULNERABLE ROAD USERS**

Total 50.2 Pts / 79%

GOOD
  ADEQUATE
  MARGINAL
  WEAK
  POOR

**VRU Impact Protection**

28.9 / 36 Pts



Pedestrian & Cyclist Head	10.9 Pts
Pelvis	4.5 Pts
Femur	4.5 Pts
Knee & Tibia	9.0 Pts

**VRU Impact Mitigation**

21.2 / 27 Pts

System Name	Active Safety Brake
Type	Auto-Brake with Forward Collision Warning
Operational From	8 km/h

PERFORMANCE |

**AEB Pedestrian**

5.7 / 9 Pts

Scenario	Day time	Night time
Car reversing into adult or child		—
Adult crossing a road into which a car is turning	<span style="display: inline-block; width: 15px; height: 15px; background-color: green;"></span>	—
Adult crossing the road	<span style="display: inline-block; width: 15px; height: 15px; background-color: green;"></span>	<span style="display: inline-block; width: 15px; height: 15px; background-color: green;"></span>
Child running from behind parked vehicles	<span style="display: inline-block; width: 15px; height: 15px; background-color: orange;"></span>	<span style="display: inline-block; width: 15px; height: 15px; background-color: brown;"></span>
Adult along the roadside	<span style="display: inline-block; width: 15px; height: 15px; background-color: green;"></span>	<span style="display: inline-block; width: 15px; height: 15px; background-color: green;"></span>

— Currently not tested

**AEB Cyclist**

7.5 / 8 Pts

Scenario	Day time
Approaching cyclist crossing from behind parked vehicles	<span style="display: inline-block; width: 15px; height: 15px; background-color: yellow;"></span>
Turning across path of an oncoming cyclist	<span style="display: inline-block; width: 15px; height: 15px; background-color: green;"></span>
Approaching a crossing cyclist	<span style="display: inline-block; width: 15px; height: 15px; background-color: green;"></span>
Approaching a cyclist along the roadside	<span style="display: inline-block; width: 15px; height: 15px; background-color: green;"></span>

Version 090525

**VULNERABLE ROAD USERS**

Total 50.2 Pts / 79%

GOOD
  ADEQUATE
  MARGINAL
  WEAK
  POOR

**Cyclist Dooring Prevention**

0.0 / 1 Pts

Scenario	
Dooring a passing cyclist	

**AEB Motorcyclist**

6.0 / 6 Pts

Scenario	Autobrake function only	Driver reacts to warning
Approaching a stationary motorcyclist	<span style="display: inline-block; width: 15px; height: 15px; background-color: green;"></span>	<span style="display: inline-block; width: 15px; height: 15px; background-color: green;"></span>
Approaching a braking motorcyclist	<span style="display: inline-block; width: 15px; height: 15px; background-color: green;"></span>	<span style="display: inline-block; width: 15px; height: 15px; background-color: green;"></span>
Turn across the path of an oncoming motorcyclist	<span style="display: inline-block; width: 15px; height: 15px; background-color: green;"></span>	—

— Currently not tested

**Lane Support Motorcyclist**

2.0 / 3 Pts

Scenario	Day time
Changing lane across the path of an oncoming motorcyclist	<span style="display: inline-block; width: 15px; height: 15px; background-color: green;"></span>
Changing lane across the path of an overtaking motorcyclist	<span style="display: inline-block; width: 15px; height: 15px; background-color: red;"></span>

**Comments**

Protection of the head of a struck pedestrian or cyclist was largely good or adequate, with poor results recorded on the stiff windscreen pillars and at the base and top of the screen. Protection of the pelvis was good at all test locations. Protection of the femur was good at all test locations, while that of the knee and tibia was good at all test locations. The autonomous emergency braking system responds to vulnerable road users such as pedestrians and cyclists, as well as to other vehicles. In tests of its response to pedestrians, the system performed adequately. The system performed well in tests of its reaction to cyclists, and its response to motorcyclists was also good.

**SAFETY ASSIST**

Total 11.3 Pts / 62%

GOOD
  ADEQUATE
  MARGINAL
  WEAK
  POOR

**Speed Assistance**  2.0 / 3 Pts

System Name	Speed limiter with Speed limit recognition
Speed Limit Information Function	Camera & Map, subsigns supported
Speed Limitation Function	Intelligent Speed Limiter not default ON (accurate to 5km/h)

**Occupant Status Monitoring**  0.4 / 3 Pts

**> Seatbelt Reminder**  0.0 / 1 Pts

Applies To	Front and rear seats		
Warning	Driver Seat	Front Passenger(s)	Rear Passenger(s)
Visual	●	●	●
Audible	●	●	●
Occupant Detection	—	●	●

Pass
  Fail
  Not available

**> Driver Monitoring**  0.4 / 2 Pts

System Name	Driver Attention Assist
Type	Indirect monitoring
Operational From	65 km/h
Fatigue	Drowsiness

 SAFETY ASSIST

Total 11.3 Pts / 62%

Lane Support

 2.5 / 3 Pts

System Name	Lane departure warning and Lane keeping assist	
Type	LKA and ELK	
Operational From	65 km/h	
<b>PERFORMANCE</b>		
Emergency Lane Keeping		GOOD
Lane Keep Assist		GOOD
Human Machine Interface		GOOD

AEB Car-to-Car

 6.5 / 9 Pts

System Name	Active Safety Brake	
Type	Autonomous emergency braking and forward collision warning	
Operational From	8 km/h	
Sensor Used	camera and radar	

Scenario	Autobrake function only	Driver reacts to warning
Approaching a car crossing a junction		
Approaching a car head-on		—
Turning across the path of an oncoming car		—
Approaching a stationary car		
Approaching a slower moving car		—
Approaching a braking car		—

— Currently not tested



## SAFETY ASSIST

Total 11.3 Pts / 62%

## Comments

Overall, the performance of the autonomous emergency braking (AEB) system was adequate in tests of its reaction to other vehicles. A seatbelt reminder system is fitted as standard to the front and rear seats. However, the rear seats are not equipped with occupant detection and fail Euro NCAP's assessment. The car has an indirect driver status monitoring system as standard, detecting driver fatigue but not distraction. The lane support system gently corrects the vehicle's path if it is drifting out of lane and also intervenes in some more critical situations. The speed assistance system identifies the local speed limit. The driver can choose to allow the limiter to be set automatically by the system.

## RATING VALIDITY

### Variants of Model Range

Body Type	Engine	Drivetrain	Rating Applies	
			LHD	RHD
5 door SUV	Electric 73 kWh 210	4 x 2	✓	✓
5 door SUV	Electric 73 kWh 325	4 x 4	✓	✓
5 door SUV	Electric 97 kWh 230	4 x 2	✓	✓
5 door SUV	Plug-in Hybrid 195 e-DSC7	4 x 2	✓	✓
5 door SUV	Hybrid 145 e-DSC6	4 x 2	✓	✓

\* Tested variant: Opel 3008

### Annual Reviews and Facelifts

Date	Event	Outcome
May 2025	Rating Published	2025 ★ ★ ★ ★ ☆ 