



Audi A3  
Standard Safety Equipment

2025



Adult Occupant



86%

Child Occupant



81%

Vulnerable Road Users



76%

Safety Assist



74%

SPECIFICATION

|                               |                     |
|-------------------------------|---------------------|
| Tested Model                  | A3 35 TFSI          |
| Body Type                     | - 5 door hatchback  |
| Year Of Publication           | 2025                |
| Kerb Weight                   | 1400kg              |
| VIN From Which Rating Applies | - WAUZZZGY0TA007426 |
| Class                         | Small Family Car    |

SAFETY EQUIPMENT

|                          | Driver | Passenger | Rear |
|--------------------------|--------|-----------|------|
| FRONTAL CRASH PROTECTION |        |           |      |
| Frontal airbag           | ●      | ●         | —    |
| Belt pretensioner        | ●      | ●         | ●    |
| Belt loadlimiter         | ●      | ●         | ●    |
| Knee airbag              | ✗      | ✗         | —    |
| LATERAL CRASH PROTECTION |        |           |      |
| Side head airbag         | ●      | ●         | ●    |
| Side chest airbag        | ●      | ●         | ○    |
| Side pelvis airbag       | ●      | ●         | ○    |
| Centre Airbag            | ●      | ✗         | —    |

|                          | Driver | Passenger | Rear |
|--------------------------|--------|-----------|------|
| CHILD PROTECTION         |        |           |      |
| Isofix/i-Size            | —      | ●         | ●    |
| Integrated CRS           | —      | ✗         | ✗    |
| Airbag cut-off switch    | —      | ●         | —    |
| Child presence detection | —      | ✗         | ✗    |
| SAFETY ASSIST            |        |           |      |
| Seat Belt Reminder       | ●      | ●         | ●    |

SAFETY EQUIPMENT (NEXT)

| OTHER SYSTEMS                   |  |   |
|---------------------------------|--|---|
| Active Bonnet                   |  | ✖ |
| AEB Vulnerable Road Users       |  | ● |
| AEB Pedestrian - Reverse        |  | ○ |
| Cyclist Dooring Prevention      |  | ○ |
| AEB Motorcyclist                |  | ● |
| AEB Car-to-Car                  |  | ● |
| Speed Assistance                |  | ● |
| Lane Assist System              |  | ● |
| Fatigue / Distraction Detection |  | ● |

**Note:** Other equipment may be available on the vehicle but was not considered in the test year.

- Fitted to the vehicle as standard
- Fitted to the vehicle as part of the safety pack
- Not fitted to the test vehicle but available as option or as part of the safety pack
- ✖ Not available
- Not applicable

 ADULT OCCUPANT

Total 34.4 Pts / 86%

GOOD ADEQUATE MARGINAL WEAK POOR

Frontal Impact

11.3 / 16 Pts



Mobile Progressive Deformable Barrier



Full Width Rigid Barrier

Lateral Impact

16.0 / 16 Pts



Side Mobile Barrier



Side Pole



Far-Side Excursion



Occupant Interaction

Rear Impact

3.5 / 4 Pts



Rear Seat



Front Seat

 ADULT OCCUPANT

Total 34.4 Pts / 86%


GOOD

ADEQUATE

MARGINAL

WEAK

POOR

|                        |                          |   |
|------------------------|--------------------------|---|
| Rescue and Extrication |                          | 3.7 / 4 Pts   |
| Rescue Sheet           | Available, ISO compliant |  |
| Advanced eCall         | Available                |   |
| Multi Collision Brake  | Available                |   |
| Submergence Check      | Compliant                |   |

Comments

The passenger compartment of the Audi A3 remained stable in the frontal offset test. Dummy readings indicated good protection of the knees and femurs of both the driver and the front seat passenger. Audi showed that a similar level of protection would be provided to occupants of different sizes and to those sitting in different positions. Protection of the driver's chest was rated as marginal, based on dummy readings of compression. Analysis of the deceleration of the impact trolley during the test, and analysis of the deformable barrier after the test, revealed that the Audi A3 would be an aggressive impact partner in a frontal collision. In the full-width rigid barrier test, protection was good or adequate for all critical body regions of the driver rear seat passenger. In both the side barrier test and the more severe side pole impact, good protection was provided to all critical body areas and the Audi A3 scored maximum points in this part of the assessment. Control of excursion (the extent to which a body is thrown to the other side of the vehicle when it is hit from the far side) was found to be adequate. The Audi A3 has a countermeasure to mitigate against occupant-to-occupant injuries in such impacts. The airbag performed well in Euro NCAP's tests with dummy readings indicating good protection for both the driver and passenger. Tests on the front seats and head restraints demonstrated good protection against whiplash injuries in the event of a rear-end collision. A geometric analysis of the rear seats also indicated good whiplash protection. The car has an advanced eCall system which alerts the emergency services in the event of a crash, and a system to prevent secondary impacts after the car has been in a collision. Audi demonstrated that the doors and windows would be openable to allow occupants to escape in the event of vehicle submergence.

 CHILD OCCUPANT

Total 39.7 Pts / 81%

GOOD ADEQUATE MARGINAL WEAK POOR

Crash Test Performance based on 6 & 10 year old children 20.7 / 24 Pts

Frontal Impact12.7 Pts



Lateral Impact8 Pts







Restraint for 6 year old child: *Britax Römer Kidfix² R*  
Restraint for 10 year old child: *Britax Römer Kidfix XP Booster*



Safety Features 7.0 / 13 Pts

|                          | Front Passenger | 2nd row outboard | 2nd row center |
|--------------------------|-----------------|------------------|----------------|
| Isofix                   | ●               | ●                | ✗              |
| i-Size                   | ●               | ●                | ✗              |
| Integrated CRS           | ✗               | ✗                | ✗              |
| Top tether               | ●               | ●                | ✗              |
| Child Presence Detection | ✗               | ✗                | ✗              |

● Fitted to test car as standard ○ Not on test car but available as option ✗ Not available










CRS Installation Check 12.0 / 12 Pts

|  i-Size | Seat Position   |   |         |        |       |
|--|---|---|---------|--------|-------|
|  | Front   |   | 2nd row |        |       |
|  |  |  | Left    | center | Right |
|         | ●   | ●   | ●       | —      | ●     |



● Easy ● Difficult ● Safety critical ✗ Not allowed  
 Airbag ON Rearward facing restraint installation not allowed  Airbag OFF









 CHILD OCCUPANT

Total 39.7 Pts / 81%



|  Isofix | Seat Position   |   |         |        |       |
|--|---|---|---------|--------|-------|
|  | Front   |   | 2nd row |        |       |
|  |  |  | Left    | center | Right |
|         | ●   | ●   | ●       | —      | ●     |
|         | ✗   | ●   | ●       | —      | ●     |
|         | ●   | ●   | ●       | —      | ●     |
|         | ●   | ●   | ●       | —      | ●     |
|         | ●   | ●   | ●       | —      | ●     |
|        | ✗   | ●   | ●       | —      | ●     |

● Easy    ● Difficult    ● Safety critical    ✗ Not allowed

 Airbag ON    Rearward facing restraint installation not allowed     Airbag OFF

| Seatbelt Attached   | Seat Position   |   |         |        |       |
|---|---|---|---------|--------|-------|
|   | Front   |   | 2nd row |        |       |
|   |  |  | Left    | center | Right |
|  | ✗   | ●   | ●       | ●      | ●     |
|  | ●   | ●   | ●       | ●      | ●     |
|  | ●   | ●   | ●       | ●      | ●     |
|  | ●   | ●   | ●       | ●      | ●     |
|  | ●   | ●   | ●       | ✗      | ●     |
|  | ✗   | ●   | ●       | ✗      | ●     |

● Easy    ● Difficult    ● Safety critical    ✗ Not allowed

 Airbag ON    Rearward facing restraint installation not allowed     Airbag OFF

 CHILD OCCUPANT

Total 39.7 Pts / 81%

Comments

In the frontal offset test protection was rated as marginal for the neck and chest of the 10 year old, based on dummy readings of tensile forces and acceleration. In the side barrier impact protection of all critical parts of the body was good for both the 6 and 10 year dummies. The front passenger airbag can be disabled to allow a rearward-facing child restraint to be used in that seating position. Clear information is provided to the driver regarding the status of the airbag and the system was rewarded. The Audi A3 is not equipped with 'child presence detection', a system which can alert others if children have been left in the car. All of the child restraint types for which the Audi A3 is designed could be properly installed and accommodated in the car.

## VULNERABLE ROAD USERS

Total 48.3 Pts / 76%

■ GOOD
 ■ ADEQUATE
 ■ MARGINAL
 ■ WEAK
 ■ POOR

### VRU Impact Protection

27.1 / 36 Pts



|                           |          |
|---------------------------|----------|
| Pedestrian & Cyclist Head | 11.3 Pts |
| Pelvis                    | 4.5 Pts  |
| Femur                     | 4.5 Pts  |
| Knee & Tibia              | 6.8 Pts  |

### VRU Impact Mitigation


21.2 / 27 Pts

|                  |   |
|------------------|---|
| System Name      | Active Front Assist                       |
| Type             | Auto-Brake with Forward Collision Warning |
| Operational From | 5 km/h                                    |

PERFORMANCE |




### AEB Pedestrian





 6.2 / 9 Pts

| Scenario  | Day time  | Night time  |
|---|---|---|
| Car reversing into adult or child                 |   | —   |
| Adult crossing a road into which a car is turning |  | —   |
| Adult crossing the road                           |  |  |
| Child running from behind parked vehicles         |  |  |
| Adult along the roadside                          |  |  |

— Currently not tested

### AEB Cyclist

 7.0 / 8 Pts

| Scenario   | Day time  |
|--|---|
| Approaching cyclist crossing from behind parked vehicles |  |
| Turning across path of an oncoming cyclist               |  |
| Approaching a crossing cyclist                           |  |
| Approaching a cyclist along the roadside                 |  |

 VULNERABLE ROAD USERS

Total 48.3 Pts / 76%

GOOD

ADEQUATE

MARGINAL

WEAK

POOR

Cyclist Dooring Prevention0.0 / 1 Pts

| Scenario                  |  |
|---------------------------|--|
| Dooring a passing cyclist |  |

AEB Motorcyclist6.0 / 6 Pts

| Scenario   | Autobrake function only | Driver reacts to warning |
|--|-------------------------|--------------------------|
| Approaching a stationary motorcyclist            | <div></div>             | <div></div>              |
| Approaching a braking motorcyclist               | <div></div>             | <div></div>              |
| Turn across the path of an oncoming motorcyclist | <div></div>             | —                        |

— Currently not tested

Lane Support Motorcyclist2.0 / 3 Pts

| Scenario  | Day time    |
|---|-------------|
| Changing lane across the path of an oncoming motorcyclist   | <div></div> |
| Changing lane across the path of an overtaking motorcyclist | <div></div> |

Comments

Protection of the head of a struck pedestrian or cyclist was predominantly adequate, with poor results recorded on the stiff windscreen pillars and at the base of the screen. Protection of the pelvis was good at all test locations, as was that of the femur. Protection of the knee and tibia was mixed. The autonomous emergency braking system of the Audi A3 responds to vulnerable road users such as pedestrians and cyclists, as well as to other vehicles. In tests of its response to pedestrians, the system performed adequately. A system is available which provides protection to those to the rear of the car but this is an option and not included in this assessment. Similarly, protection against 'dooring', where a door is opened into the path of a cyclist approaching from behind, is also an option not included in this assessment. Otherwise, the system performed well in tests of its reaction to cyclists, while its response to motorcyclists was good.

 SAFETY ASSIST

Total 13.4 Pts / 74%

GOOD ADEQUATE MARGINAL WEAK POOR

Speed Assistance 1.3 / 3 Pts

|                                  |   |
|----------------------------------|---|
| System Name                      | Speedlimiter                                  |
| Speed Limit Information Function | Camera & Map, subsigns supported              |
| Speed Limitation Function        | Speed Limitation Function (accurate to 5km/h) |

Occupant Status Monitoring 1.3 / 3 Pts

> Seatbelt Reminder 1.0 / 1 Pts

| Applies To         | Front and rear seats |                    |                   |
|--------------------|----------------------|--------------------|-------------------|
| Warning            | Driver Seat          | Front Passenger(s) | Rear Passenger(s) |
| Visual             | ●                    | ●                  | ●                 |
| Audible            | ●                    | ●                  | ●                 |
| Occupant Detection | —                    | ●                  | ●                 |

● Pass   ● Fail   — Not available




> Driver Monitoring 0.3 / 2 Pts

|                  |                     |
|------------------|---------------------|
| System Name      | Fatigue Warning     |
| Type             | Indirect monitoring |
| Operational From | 65 km/h             |
| Fatigue          | Drowsiness          |

 SAFETY ASSIST













Total 13.4 Pts / 74%


Lane Support  2.5 / 3 Pts

|                         |  |
|-------------------------|--|
| System Name             | Lane departure warning   |
| Type                    | LKA and ELK  |
| Operational From        | 65 km/h  |
| PERFORMANCE             |  |
| Emergency Lane Keeping  |  GOOD |
| Lane Keep Assist        |  GOOD |
| Human Machine Interface |  GOOD |

AEB Car-to-Car  8.5 / 9 Pts

|                  |  |
|------------------|--|
| System Name      | Active Front Assist  |
| Type             | Autonomous emergency braking and forward collision warning |
| Operational From | 5 km/h   |
| Sensor Used      | camera and radar   |

| Scenario                                   | Autobrake function only   | Driver reacts to warning  |
|--|---|---|
| Approaching a car crossing a junction      |  |  |
| Approaching a car head-on                  |  |  |
| Turning across the path of an oncoming car |  |  |
| Approaching a stationary car               |  |  |
| Approaching a slower moving car            |  |  |
| Approaching a braking car                  |  |  |

 Currently not tested

 SAFETY ASSIST

Total 13.4 Pts / 74%

Comments

Overall, the performance of the autonomous emergency braking (AEB) system was good in tests of its reaction to other vehicles. A seatbelt reminder system is fitted as standard to the front and rear seats. The car has a direct driver status monitoring system as standard, detecting driver fatigue and some types of distraction. The lane support system gently corrects the vehicle's path if it is drifting out of lane and also intervenes in some more critical situations. The speed assistance system identifies the local speed limit. The driver can choose to allow the limiter to be set automatically by the system.

RATING VALIDITY



Variants of Model Range

| Body Type                         | Engine                      | Model Name | Drivetrain | Rating Applies |     |
|-----------------------------------|-----------------------------|------------|------------|----------------|-----|
|                                   |                             |            |            | LHD            | RHD |
| 4 door saloon<br>5 door hatchback | 2.0 TDI 85kW, diesel        | 30 TDI     | 4 x 2      | ✓              | ✓   |
| 4 door saloon<br>5 door hatchback | 1.5 TFSI 85kW, petrol       | 30 TFSI *  | 4 x 2      | ✓              | ✓   |
| 4 door saloon<br>5 door hatchback | 2.0 TDI 110kW, diesel       | 35 TDI     | 4 x 2      | ✓              | ✓   |
| 4 door saloon<br>5 door hatchback | 1.5 TFSI 110kW, petrol      | 35 TFSI    | 4 x 2      | ✓              | ✓   |
| 4 door saloon<br>5 door hatchback | 2.0TFSI 150kW, petrol       | 40 TFSI    | 4 x 4      | ✓              | ✓   |
| 4 door saloon<br>5 door hatchback | 2.0 TFSI 245kW, petrol      | S3         | 4 x 4      | ✓              | ✓   |
| 5 door hatchback                  | PHEV 150kW, electric petrol | 40 TFSIe   | 4 x 2      | ✓              | ✓   |
| 5 door hatchback                  | PHEV 200kW, electric petrol | 45 TFSIe   | 4 x 2      | ✓              | ✓   |

\* Tested variant

Annual Reviews and Facelifts

| Date          | Event            | Outcome        |   |
|---------------|------------------|----------------|---|
| November 2025 | Rating Published | 2025 ★ ★ ★ ★ ★ | ✓ |