



2016





### Adult Occupant



93%

# Child Occupant



86%

#### Pedestrian



70%



Safety Assist

60%

### **SPECIFICATION**

Tested Model	Audi Q2
Body Type	- 5 door SUV
Year Of Publication	2016
Kerb Weight	1380kg
VIN From Which Rating Applies	- all Q2s
Class	Small Off-Road



Rating Expired

#### General comments

Audi has changed the safety equipment of the Q2. A speed assistance system is now standard and the lane keep assist system has become an option. This changes the scores slightly in Safety Assist but the five star rating is unaffected.



# SAFETY EQUIPMENT

	Driver	Passenger	Rear
FRONTAL CRASH PROTECTION			
Frontal airbag	•	•	×
Belt pretensioner	•	•	•
Belt loadlimiter	•	•	•
Knee airbag	×	×	×
SIDE CRASH PROTECTION			
Side head airbag	•	•	
Side chest airbag	•	•	×
Side pelvis airbag	•	•	×
CHILD PROTECTION			
Isofix/i-Size	_	0	
Integrated CRS	_	×	×
Airbag cut-off switch	_	•	_
SAFETY ASSIST			
Seat Belt Reminder	•	•	

OTHER SYSTEMS	
Active Bonnet (Hood)	×
AEB Pedestrian	•
AEB City	•
AEB Inter-Urban	•
Speed Assistance System	0
Lane Assist System	•

Note: Other equipment may be available on the vehicle but was not considered in the test year.

O Not fitted to the test vehicle but available as option or as part of the safety pack X Not available — Not applicable







Total 35.6 Pts / 93%


















Total 35.6 Pts / 93%

GOOD ADEQUATE MARGINAL WEAK POOR





Total 35.6 Pts / 93%

#### Comments

The passenger compartment of the Q2 remained stable in the offset deformable barrier test. Dummy readings indicated good protection of the knees and femurs of both the driver and passenger dummies. Audi showed that a similar level of protection would be provided to occupants of different sizes and to those sat in different positions. Protection of the passenger dummy was good for all critical body areas. In both the side barrier test and the more severe side pole impact, maximum points were scored, with good protection of all critical parts of the body. Tests on the front seats and head restraints demonstrated good protection against whiplash injuries in the event of a rear-end collision and a geometric assessment of the rear seats indicated good whiplash protection there, too. The Q2 has an autonomous emergency braking system that operates at the low speeds, typical of city of driving, at which many whiplash injuries are caused. The system performed well in Euro NCAP's tests, with a collision against a stationary car being avoided at all test speeds.



Total 42.4 Pts / 86%



### Crash Test Performance based on 6 & 10 year old children

23.4 Pts





Restraint for 6 year old child: *Takata Maxi Plus* Restraint for 10 year old child: *Takata Maxi Plus* 

Safety Features 7.0 Pts

	Front Passenger	2nd row outboard	2nd row center
Isofix	0	•	×
i-Size	×	•	×
Integrated CRS	×	×	×

Fitted to test car as standard

O Not on test car but available as option

🗶 Not available



CRS Installation Check 12.0 Pts



#### i-Size CRS








#### ISOFIX CRS













Total 42.4 Pts / 86%

#### Universal Belted CRS











Total 42.4 Pts / 86%

		Seat Position		
	Front		2nd row	
	PASSENGER	LEFT	CENTER	RIGHT
Maxi Cosi 2way Pearl & 2wayFix (rearward) (iSize)	_	•	_	•
Maxi Cosi 2way Pearl & 2wayFix (forward) (iSize)	_	•	_	•
BeSafe iZi Kid X1 i-Size (iSize)	_	•	_	•
Maxi Cosi Cabriofix & FamilyFix (ISOFIX)	_	•	_	•
BeSafe iZi Kid X3 ISOfix (ISOFIX)	_	•	_	•
Britax Römer Duo Plus (ISOFIX)	_	•	_	•
Britax Römer KidFix XP (ISOFIX)	_	•	_	•
Maxi Cosi Cabriofix (Belt)	•	•	•	•
Maxi Cosi Cabriofix & EasyBase2 (Belt)	•	•	×	•
Britax Römer King II LS (Belt)	•	•	•	•
Britax Römer KidFix XP (Belt)	•	•	•	•

Install without problem

Install with care

Safety critical problem

🗶 Installation not allowed

— Not available

#### Comments

In the frontal offset test, protection of the 6 year and 10 year dummies was good or adequate for all critical body areas. In the side impact test, protection was good and maximum points were scored. The front passenger airbag can be disabled to allow a rearward-facing child restraint to be used in that seating position. Clear information is provided to the driver regarding the status of the airbag and the system was rewarded. All of the restraint types for which the Q2 is designed could be properly installed and accommodated in the car.





Total 29.6 Pts / 70%

GOOD ADEQUATE MARGINAL WEAK POOR

Pedestrian

Head Impact

Pelvis Impact

Leg Impact


6.0 Pts

B Pedestrian		5.0 P		
System Name	Audi pre-sense front			
Туре	Auto-Brake with Forward Collision Warning			
Operational From	10 km/h			
Additional Information	Defaults on for every journey; operates above 40km/h and in low ambient light			
PERFORMANCE				
	Autobrake Function			
	Avoidance	Mitigation		
Running Adult crossing from Farside	Collision avoided up to 50 km/h	Impact mitigated up to 60 km/h		
Running Adult crossing from Farside  Walking Adult crossing from Nearside -25%	Collision avoided up to 50 km/h Collision avoided up to 40 km/h	Impact mitigated up to 60 km/h Impact mitigated up to 60 km/h		
<u> </u>				

#### Comments

The bonnet provided predominantly good or adequate protection to a pedestrian's head. The bumper scored maximum points in Euro NCAP's tests, with good protection at all test locations. However, the protection provided to the pelvis was more mixed, and ranged from good to poor. The autonomous emergency braking system can detect pedestrians and performed well in Euro NCAP's tests, collision with the target being avoided or mitigated in many of the test scenarios.





Lane Support	0.0 Pt	S
Operational From	0 km/h	

Operational From	0 km/h
PERFORMANCE	
LDW Confirmation Test	Fail





Total 7.3 Pts / 60%

AEB Inter-Urban 2.8 Pts

System Name	Audi pre-sense front			
Туре	Forward Collision Warning with Auto-Brake			
Operational From	10 km/h			
Additional Information	Default On; Supplementary Warning			
PERFORMANCE   PE				
	Autobrake Function Only	Driver reacts to warning		
Operational Speed	10-250 km/h	30-250 km/h		
Approaching a stationary car	See AEB City	Crash avoided up to 60km/h. Crash speed reduced up to 65km/h.		
Approaching a slower moving car	Crash avoided up to 70km/h.	Crash avoided up to 80km/h.		
FOLLOWING A CAR AT SHORT DISTANCE				
Car in front brakes gently	Avoidance	Avoidance		
Car in front brakes harshly	Avoidance	Avoidance		
FOLLOWING A CAR AT LONG DISTANCE				
Car in front brakes gently	Avoidance	Avoidance		
Car in front brakes harshly	Avoidance	Avoidance		

#### Comments

The Q2 has a seatbelt reminder system for the front and rear seats. Its standard-fit autonomous emergency braking system showed good performance in tests of its functionality at highway speeds, with complete avoidance of the target in almost all of the test scenarios. The lane assistance system, which was originally standard equipment but is now an option, warns the driver when the car is drifting towards a lane marking and gently steers the car back to its path. The speed limiter is now standard equipment as opposed to an option.



# **RATING VALIDITY**

## Variants of Model Range

#### Annual Reviews and Facelifts

Date	Event	Outcome	
November 2016	Rating Published	2016 🛨 🛨 🛨 🛨	✓
November 2017	Annual Review	2016 🖈 🖈 🛧 🛧	✓
November 2018	Annual Review	2016 🗙 🗙 🛧 ★	✓
November 2019	Annual Review	2016 🗙 🗙 🛧 ★	✓
November 2020	Facelift Review	2016 🖈 🖈 🛧 ★	✓