




Skoda Karoq Standard Safety Equipment





2017

SPECIFICATION

Tested Model	Skoda Karoq 1.6 diesel 'Ambition', LHD
Body Type	- 5 door SUV
Year Of Publication	2017
Kerb Weight	1365kg
VIN From Which Rating Applies	- all Karoqs
Class	Small Off-Road



SAFETY EQUIPMENT

	Driver	Passenger	Rear
FRONTAL CRASH PROTECTION			
Frontal airbag	•	•	×
Belt pretensioner	•	•	٠
Belt loadlimiter	•	•	٠
Knee airbag	•	×	×
SIDE CRASH PROTECTION			
Side head airbag	•	•	٠
Side chest airbag		•	×
Side pelvis airbag	×	×	×

Euro NCAP © Skoda Karoq Nov 2017 2/14



SAFETY EQUIPMENT (NEXT)

	Driver	Passenger	Rear
CHILD PROTECTION			
Isofix/i-Size	_	0	٠
Integrated CRS	_	×	×
Airbag cut-off switch	—		
SAFETY ASSIST			
Seat Belt Reminder	•		٠

OTHER SYSTEMS	
Active Bonnet (Hood)	×
AEB Pedestrian	•
AEB City	•
AEB Inter-Urban	•
Speed Assistance System	•
Lane Assist System	0


Note: Other equipment may be available on the vehicle but was not considered in the test year.


Fitted to the vehicle as standard


O Not fitted to the test vehicle but available as option or as part of the safety pack

🗙 Not available 🛛 — Not applicable












ADULT OCCUPANT

Total 35.5 Pts / 93%

Comments

The passenger compartment of the Karoq remained stable in the frontal offset test. Dummy readings indicated good protection of the knees and femurs of both the driver and passenger. Škoda demonstrated that a similar level of protection would be provided to occupants of different sizes and to those sat in different positions. In the full-width rigid-barrier test, protection of both occupants was good or adequate except for the chest of the rear passenger, protection of which was rated as marginal. In the side barrier test, protection of all critical body areas was good and the Karoq scored maximum points. In the more severe side pole test, protection of the chest was adequate and that of other parts of the body was good. Tests on the front seats and head restraints demonstrated good protection against whiplash injuries in the event of rear-end collision. A geometric assessment of the rear seats also indicated good whiplash protection. The standard-fit autonomous emergency braking system performed well in tests of its functionality at the low speeds typical of city driving at which many whiplash injuries are caused, with collisions avoided or mitigated at all test speeds.





Lateral Impact 8 Pts


Restraint for 6 year old child: *KidFix XP* Restraint for 10 year old child: *Safety 1st Manga*

Safety Features

7.0 Pts

2nd row outboard	2nd row center
•	×
•	×
×	×
	×







Britax Römer KidFix XP (ISOFIX)





🔄 CHILD OCCUPANT

Total 38.9 Pts / 79%

Universal Belted CRS



Britax Römer KidFix XP (Belt)




Maxi Cosi Cabriofix & EasyBase2 (Belt)









Total 38.9 Pts / 79%

	Seat Position					
	Front	2nd row				
	PASSENGER	LEFT	CENTER	RIGHT		
Maxi Cosi 2way Pearl & 2wayFix (rearward) (iSize)	_	•	_	•		
Maxi Cosi 2way Pearl & 2wayFix (forward) (iSize)	_	•	_	•		
BeSafe iZi Kid X2 i-Size (iSize)		•	_	•		
Maxi Cosi Cabriofix & FamilyFix (ISOFIX)		•	_	•		
BeSafe iZi Kid X4 ISOfix (ISOFIX)	_	•	_			
Britax Römer Duo Plus (ISOFIX)	_	•	_	•		
Britax Römer KidFix XP (ISOFIX)			_	•		
Maxi Cosi Cabriofix (Belt)	•	•	•			
Maxi Cosi Cabriofix & EasyBase2 (Belt)	•	•	×			
Britax Römer King II LS (Belt)	•	•	•	•		
Britax Römer KidFix XP (Belt)	•	•	•	•		
Install without problem	👝 Install without problem 🛛 👝 Install with care 🖕 Safety critical problem 🗙 Installation not allowed					


Not available

Comments

In the frontal offset test, protection of the chest of the 6 year dummy was rated as weak, based on dummy readings of deceleration and neck protection of both dummies was rated as marginal, based on readings of tensile forces. In the side barrier test, protection of all critical body regions was good for both dummies. The front passenger airbag can be disabled to allow a rearward-facing child restraint to be used in that seating position. Clear information is provided to the driver regarding the status of the airbag and the system was rewarded. All of the restraint types for which the Karoq is designed could be properly installed and accommodated.



5.5 Pts




AEB Pedestrian

System Name	Front Assist		
Туре	Auto-Brake with Forward Collision Warning		
Operational From	4 k	m/h	
Additional Information	Defaults on for every journey; operates	above 40km/h and in low ambient light	
PERFORMANCE			
	Autobrake Function		
	Autobrake	e Function	
	Autobrake	e Function Mitigation	
Running Adult crossing from Farside			
Running Adult crossing from Farside Walking Adult crossing from Nearside -25%	Avoidance	Mitigation	
	Avoidance Collision avoided up to 45 km/h	Mitigation Impact mitigated up to 60 km/h	

Comments

The protection provided by the bonnet to the head of a struck pedestrian was predominantly good or adequate, with poor results being recorded on the stiff windscreen pillars. The bumper provided good protection to pedestrians' legs and scored maximum points. The protection provided to the pelvis area was mixed. Tests of the pedestrian detection function of the autonomous emergency braking system demonstrated good performance, with collisions avoided or mitigated in all scenarios.

Euro NCAP © Skoda Karoq Nov 2017 11/14



Speed Assistance

1.3 Pts

System Name	Speedlimiter
Speed Limit Information Function	N/A
Warning Function	Manually set
Speed Limitation Function	Manually set (accurate to 10km/h)

Seatbelt Reminder

3.0 Pts

Applies To	All seats		
Warning	Driver Seat	Front Passenger(s)	Rear Passenger(s)
Visual	٠	•	•
Audible	٠	•	•
🔵 Pass 🛛 🛑 Fail 🛛 — Not available			

Lane Support



SAFETY ASSIST

Total 7.0 Pts / 58%

AEB Inter-Urban

2.7 Pts

System Name	Front Assist		
Туре	Forward Collision Warning with Auto-Brake		
Operational From	4 km/h		
Additional Information	Default On; Supplementary Warning		
PERFORMANCE			
	Autobrake Function Only	Driver reacts to warning	
Operational Speed	4-250 km/h	4-250 km/h	
Approaching a stationary car	See AEB City Crash avoided up to 40km/ Crash speed reduced up to 50		
Approaching a slower moving car	Crash avoided up to 70km/h. Crash avoided up to 80km/h.		
FO	LLOWING A CAR AT SHORT DISTANCE		
Car in front brakes gently	Avoidance	Avoidance	
Car in front brakes harshly	/ Avoidance Avoidance		
FC	DLLOWING A CAR AT LONG DISTANCE		
Car in front brakes gently	Avoidance Avoidance		
Car in front brakes harshly	Avoidance	Avoidance	

Comments

A seatbelt reminder system is standard for the front and rear seats as is a driver-set speed limiter. The autonomous emergency braking system performed well in tests of its functionality at highway speeds, with collisions avoided or mitigated in many scenarios and test speeds.



RATING VALIDITY

Variants of Model Range

Body Type	Engine & Transmission	Model Name/Code	Drivetrain	Rating Applies	
				LHD	RHD
5 door SUV	1.0 petrol	1.0 TSI	4 x 2	\checkmark	\checkmark
5 door SUV	1.5 petrol	1.5 TSI	4 x 2	~	\checkmark
5 door SUV	1.5 petrol	1.5 TSI 4 x 4	4 x 4	~	\checkmark
5 door SUV	1.6 diesel*	1.6 TDI	4 x 2	~	\checkmark
5 door SUV	2.0 diesel	2.0 TDI	4 x 2	~	\checkmark
5 door SUV	2.0 diesel	2.0 TDI 4 x 4	4 × 4	~	\checkmark

* Tested variant

Annual Reviews and Facelifts

Date	Event	Outcome	
November 2017	Rating Published	2017 ★ ★ ★ ★	✓
November 2020	Annual Review	2017 🚖 🚖 🚖 🚖	~
November 2021	Annual Review	2017 🚖 🚖 🚖 🚖	~
February 2022	Facelift Review	2017 ★ ★ ★ ★	~