



2019





Adult Occupant



94%





Safety Assist

84%

Vulnerable Road Users



77%



74%

SPECIFICATION

Tested Model	Ford Puma
Body Type	- 5 door SUV
Year Of Publication	2019
Kerb Weight	1314kg
VIN From Which Rating Applies	- all Pumas
Class	Supermini

SAFETY EQUIPMENT

	Driver	Passenger	Rear
FRONTAL CRASH PROTECTION			
Frontal airbag	•	•	×
Belt pretensioner	•	•	•
Belt loadlimiter	•	•	•
Knee airbag	×	×	×
SIDE CRASH PROTECTION			
Side head airbag	•	•	•
Side chest airbag	•	•	×
Side pelvis airbag	•	•	×



SAFETY EQUIPMENT (NEXT)

	Driver	Passenger	Rear
CHILD PROTECTION			
Isofix	_	×	•
Integrated CRS	_	×	×
Airbag cut-off switch	_	•	_
SAFETY ASSIST			
Seat Belt Reminder	•	•	•

OTHER SYSTEMS	
Active Bonnet (Hood)	×
AEB Pedestrian	•
AEB Cyclist	•
AEB City	•
AEB Inter-Urban	•
Speed Assistance System	•
Lane Assist System	•

Note: Other equipment may be available on the vehicle but was not considered in the test year				
	Note: Other equipment r	nay be available on the	vehicle but was not	concidered in the test year

	Fitted to the vehicle as standard	Fitted to the vehicle as part of the safety pack
1	I ILLEG LO LITE VETILLE OS SLOTIGOTO	I I ILLEG LO LITE VETILLE OS DOTL OF LITE SOFELV DOCK

O Not fitted to the test vehicle but available as option or as part of the safety pack X Not available — Not applicable







Total 36.0 Pts / 94%
















Total 36.0 Pts / 94%




AEB City 3.9 / 4 Pts







Approaching a stationary car: Right Offset







Total 36.0 Pts / 94%

Comments

The passenger compartment of the Puma remained stable in the frontal offset test. Dummy readings indicated good protection of the knees and femurs of the driver and passenger. Ford showed that a similar level of protection would be provided to occupants of different sizes and to those sitting in different positions. Protection of the driver's chest was rated as marginal. In the full-width rigid barrier test, protection of all critical body areas was good or adequate for both the driver and rear passenger. In both the side barrier and the more severe side pole tests, protection of all critical body areas was good and the car scored full points in both of these tests. Tests on the front seats and head restraints demonstrated good protection against whiplash injuries in the event of a rear-end collision. A geometric assessment of the rear seats also indicated good whiplash protection. The standard-fit autonomous emergency braking (AEB) system performed well in tests of its functionality at the low speeds at which many whiplash injuries occur, with collisions avoided or mitigated in all test scenarios.



Total 41.5 Pts / 84%



Crash Test Performance based on 6 & 10 year old children

22.5 / 24 Pts





Restraint for 6 year old child: *Britax Römer Kid Fix* Restraint for 10 year old child: *Booster Cushion* **Safety Features**

7 / 13 Pts

	Front Passenger	2nd row outboard	2nd row center
Isofix	×	•	×
i-Size	×	•	×
Integrated CRS	×	×	×

Fitted to test car as standard

O Not on test car but available as option

🗶 Not available



CRS Installation Check 12 / 12 Pts



i-Size CRS









ISOFIX CRS








Britax Römer KidFix XP (ISOFIX)





Total 41.5 Pts / 84%

Universal Belted CRS











Total 41.5 Pts / 84%

		Seat Position		
	Front	Front 2nd row		
	PASSENGER	LEFT	CENTER	RIGHT
Maxi Cosi 2way Pearl & 2wayFix (rearward) (iSize)		•		•
Maxi Cosi 2way Pearl & 2wayFix (forward) (iSize)		•		•
BeSafe iZi Kid X2 i-Size (iSize)		•		•
BeSafe iZi Flex FIT i-Size (iSize)		•		•
Maxi Cosi Cabriofix & FamilyFix (ISOFIX)		•		•
BeSafe iZi Kid X4 ISOfix (ISOFIX)		•		•
Britax Römer Duo Plus (ISOFIX)		•		•
Britax Römer KidFix XP (ISOFIX)		•		•
Maxi Cosi Cabriofix (Belt)	•	•	•	•
Maxi Cosi Cabriofix & EasyBase2 (Belt)	•	•	×	•
Britax Römer King II LS (Belt)	•	•	•	•
Britax Römer KidFix XP (Belt)	•	•	•	•

Install without problem

Install with care

Safety critical problem

🗶 Installation not allowed

Comments

In both the frontal and side barrier tests, protection of all critical body areas was good or adequate for both dummies. The front passenger airbag can be disabled to allow a rearward-facing child restraint to be used in that seating position. Clear information is provided to the driver regarding the status of the airbag and the system was rewarded. All restraints types for the which the Puma is designed could be properly installed and accommodated.





Total 37.2 Pts / 77%

GOOD	ADEQUATE	MARGINAL	WEAK	POOR	
Pedestrian				26.6 / 36	Pts
		Hea	ad Impact	14.6 Pts	
		Pelv	vis Impact	6 Pts	
		Leg	Impact	6 Pts	

Pre-Collision Assist with Pedestrian Detection
Auto-Brake with Forward Collision Warning
7 km/h

Comments

The bonnet generally provided good or adequate protection to the head of a struck pedestrian, but poor results were recorded on the stiff windscreen pillars and along the windscreen base. The bumper provided good protection to pedestrians' legs and protection of the pelvis was also good at all test locations. The Puma's AEB system can detect vulnerable road users like pedestrians and cyclists, as well as other vehicles. In tests, the system's response to both was good, with collisions avoided or mitigated in most cases.





Total 37.2 Pts / 77%

AEB Pedestrian

Day time

Adult crossing the road



Child running from behind parked vehicles




Adult along the roadside




Night time

Adult crossing the road



Adult along the roadside



AEB Cyclist


Cyclist crossing



Cyclist along the roadside







GOOD

ADEQUATE

Lane Keep Assist


Human Machine Interface





Total 9.7 Pts / 74%

AEB Inter-Urban




System Name	Pre-Collsision Assist
Туре	Autonomous Emergency Braking and Forward Collision Warning
Operational From	5 km/h

Comments


The Puma has a seatbelt reminder system for the front and rear seats. The AEB system performed well in tests of its response to other vehicles at highway speeds. A lane support system helps prevent inadvertent drifting out of lane. A speed assistance system uses a camera to determine the local speed limit. This information is presented to the driver who can then set the limiter to the appropriate speed.

Autobrake function only


Approaching a slower moving car




Approaching a slower moving car



Approaching a slower moving car



Approaching a braking car







Total 9.7 Pts / 74%

Driver reacts to warning


Approaching a stationary car




Approaching a stationary car




Approaching a slower moving car




Approaching a braking car



Approaching a stationary car



Approaching a slower moving car



Approaching a slower moving car





RATING VALIDITY

Variants of Model Range

Body Type	Engine & Transmission	Drivetrain	Rating Applies	
			LHD	RHD
5 door SUV	1.0 litre mHev petrol*	4 x 2	~	✓
5 door SUV	1.0 litre petrol	4 x 2	✓	✓
5 door SUV	1.5 litre diesel	4 x 2	~	✓

^{*} Tested variant

Annual Reviews and Facelifts

Date	Event	Outcome	
December 2019	Rating Published	2019 🖈 🖈 🛧 🛧	✓