



2021





Adult Occupant



93%

Child Occupant



89%

Vulnerable Road Users







Safety Assist

85%

SPECIFICATION

| Tested Model | Volkswagen ID.4, rear drive, LHD |
|-------------------------------|----------------------------------|
| Body Type | - 5 door SUV |
| Year Of Publication | 2021 |
| Kerb Weight | 2029kg |
| VIN From Which Rating Applies | - all VW ID.5s |
| Class | Small Off-Road |

General comments

The Volkswagen ID.5 is, in all ways related to safety, identical to the ID.4, tested by Euro NCAP in 2021. Accordingly, the results of the ID.4 apply equally to the ID.5 and its rating is carried over.



SAFETY EQUIPMENT

| | Driver | Passenger | Rear |
|--------------------------|--------|-----------|------|
| FRONTAL CRASH PROTECTION | | | |
| Frontal airbag | • | • | _ |
| Belt pretensioner | • | • | |
| Belt loadlimiter | • | • | • |
| Knee airbag | × | × | _ |
| SIDE CRASH PROTECTION | | | |
| Side head airbag | • | • | • |
| Side chest airbag | • | • | × |
| Side pelvis airbag | • | • | × |
| Centre Airbag | • | • | × |
| CHILD PROTECTION | | | |
| Isofix | | • | • |
| Integrated CRS | _ | × | × |
| Airbag cut-off switch | _ | • | _ |
| SAFETY ASSIST | | | |
| Seat Belt Reminder | • | • | |

| OTHER SYSTEMS | |
|---------------------------|---|
| Active Bonnet | × |
| AEB Vulnerable Road Users | |
| AEB Pedestrian - Reverse | × |
| AEB Car-to-Car | |
| Speed Assistance | |
| Lane Assist System | |


Note: Other equipment may be available on the vehicle but was not considered in the test year.


- Fitted to the vehicle as standard Fitted to the vehicle as part of the safety pack
- O Not fitted to the test vehicle but available as option or as part of the safety pack X Not available Not applicable






Total 35.6 Pts / 93%











Total 35.6 Pts / 93%

| GOOD | ADEQUATE | MARGINAL W | VEAK F | POOR |
|------------------------|-----------------------|--------------------------|--------|-------------|
| Rescue and Extrication | | | | 2.0 / 2 Pts |
| | Rescue Sheet | Available, ISO compliant | | POF |
| | Advanced eCall | Available | | |
| | Multi Collision Brake | Available | | |

Comments

The passenger compartment remained stable in the frontal offset test. Dummy readings showed good protection or adequate for all critical body regions of the driver and passenger. VW showed that good protection would be provided also to the knees and femurs of occupants of different sizes and to those sitting in different positions. Analysis of the deformable barrier used in the frontal offset test revealed a small area of high deformation. However, the deceleration profile of the trolley on which the barrier was mounted showed that the car would not be an aggressive crash opponent. In both the side barrier and side pole tests, the car provided good protection to all critical body regions and scored maximum points. Occupant excursion in a far-side impact was rated as weak. A centre-mounted airbag protects the driver and front passenger from hard mutual contact in the event of a side crash. Euro NCAP's test showed that the airbag offers good protection for the heads of the front occupants. Tests on the front seats and head restraints demonstrated good protection against whiplash injuries in the event of a rear-end collision. A geometric analysis of the rear seats also indicated good whiplash protection.



Total 44 Pts / 89%



Crash Test Performance based on 6 & 10 year old children

24.0 / 24 Pts





Restraint for 6 year old child: *Britax Römer Kidfix* Restraint for 10 year old child: *Britax Römer Kidfix*

Safety Features 8.0 / 13 Pts

| | Front Passenger | 2nd row outboard | 2nd row center |
|----------------|--------------------|---------------------|-------------------|
| Isofix | • | • | × |
| i-Size | • | • | × |
| Integrated CRS | × | × | × |

Fitted to test car as standard

O Not on test car but available as option

🗶 Not available



CRS Installation Check 12.0 / 12 Pts



i-Size CRS











ISOFIX CRS









Total 44 Pts / 89%

Universal Belted CRS











Total 44 Pts / 89%

| | | Seat Position | | |
|---|-----------|---------------|--------------|-------|
| | Front | Front 2nd row | | |
| | PASSENGER | LEFT | CENTER | RIGHT |
| Maxi Cosi 2way Pearl & 2wayFix (i-Size) | • | • | _ | • |
| Maxi Cosi 2way Pearl & 2wayFix (i-Size) | • | • | _ | • |
| BeSafe iZi Kid X2 i-Size (i-Size) | • | • | _ | • |
| Britax Römer TriFix2 i-Size (i-Size) | • | • | _ | • |
| BeSafe iZi Flex FIX i-Size (i-Size) | • | • | _ | • |
| BeSafe iZi Combi X4 ISOfix (ISOFIX) | • | • | _ | • |
| Cybex Solution Z (ISOFIX) | • | • | _ | • |
| Maxi Cosi Cabriofix (Belt) | • | • | • | • |
| Maxi Cosi Cabriofix & Easyfix (Belt) | • | • | × | • |
| Britax Römer King II LS (Belt) | • | • | • | • |
| Cybex Solution Z (Belt) | • | • | • | • |

Install without problem

Install with care

Safety critical problem

🗶 Installation not allowed

— Not available

Comments

In both the frontal offset test and the side barrier test, good protection was provided to all critical body areas of both the 6 year and 10 year dummy, and maximum points were scored in this part of the assessment. The front passenger airbag can be disabled to allow a rearward-facing child restraint to be fitted in that seating position. Clear information is provided to the driver regarding the status of the airbag and the system was rewarded. All of the child restraint types for which the car is designed could be properly fitted and accommodated in the car.



🕺 VULNERABLE ROAD USERS

Total 41.3 Pts / 76%

| GOOD | ADEQUATE | MARGINAL | WEAK | POOR | |
|------|----------|----------|------|------|--|

Pedestrian 30.0 / 36 Pts



| Head Impact | 18.1 Pts |
|---------------|----------|
| Pelvis Impact | 5.9 Pts |
| Leg Impact | 6.0 Pts |

Vulnerable Road Users 11.4 / 18 Pts


| System Name | Front Assist |
|------------------|---|
| Туре | Auto-Brake with Forward Collision Warning |
| Operational From | 5 km/h |



VULNERABLE ROAD USERS

Total 41.3 Pts / 76%

AEB Pedestrian





Vehicle reversing into standing pedestrian




Pedestrian crossing a road into which a car is turning


Adult crossing the road



Child running from behind parked vehicles



Adult along the roadside




Night time

Adult crossing the road



Adult along the roadside








VULNERABLE ROAD USERS


Total 41.3 Pts / 76%

AEB Cyclist



Cyclist from nearside, obstructed view






Cyclist along the roadside



Comments

The protection provided to the head of a struck pedestrian was good or adequate over most of the bonnet surface, with some poor results recorded only on the stiff windscreen pillars. The bumper provided good protection to pedestrians' legs at all test locations. Protection of the pelvis was good or adequate at all points tested by Euro NCAP. The autonomous emergency braking (AEB) system can detect pedestrians and cyclists. In tests of its response to such vulnerable road users, the system performed adequately, avoiding or mitigating collision in most test scenarios. The system cannot detect pedestrians to the rear of the car and AEB-reverse tests were not performed.









SAFETY ASSIST

Total 13.6 Pts / 85%

Lane Support 3.0 / 4 Pts

| System Name | Lane Assist |
|------------------------|-------------|
| Туре | LKA and ELK |
| Operational From | 60 km/h |
| PERFORMANCE | |
| Emergency Lane Keeping | ADEQUATE |
| Lane Keep Assist | GOOD |
| | |

AEB Car-to-Car 5.0 / 6 Pts

| System Name | Front Assist |
|------------------|--|
| Туре | Autonomous emergency braking and forward collision warning |
| Operational From | 5 km/h |
| Sensor Used | camera and radar |




Total 13.6 Pts / 85%

Autobrake function only


Test car turns across the path of an approaching car



Approaching a stationary car




Approaching a stationary car




Approaching a stationary car




Approaching a slower moving car



Approaching a slower moving car



Approaching a slower moving car



Approaching a braking car






SAFETY ASSIST


Total 13.6 Pts / 85%

Driver reacts to warning


Approaching a stationary car




Approaching a stationary car




Approaching a slower moving car




Approaching a braking car




Approaching a stationary car



Approaching a slower moving car



Approaching a slower moving car







Total 13.6 Pts / 85%

Comments

A speed assistance system is fitted as standard. This uses a camera and digital mapping to determine the local speed limit and the driver can choose to allow the system to adjust the speed automatically. A seatbelt reminder is standard for all seating positions. A fatigue-detection system monitors driver alertness and issues a warning if impaired driving is detected. Lane assistance warns the driver if the car is drifting out of lane and gently corrects the vehicle path. The system also intervenes more aggressively in some more critical situations. The AEB system performed well in tests of its response to other vehicles, with collisions avoided or mitigated in almost all scenarios.



RATING VALIDITY

Variants of Model Range

| Body Type | Engine & Transmission | Model Name | Drivetrain | Rating Applies | |
|------------|-----------------------|------------------|------------|----------------|-----|
| | | | | LHD | RHD |
| 5 door SUV | Electric | Pure | 4 x 2 | ✓ | ✓ |
| 5 door SUV | Electric | Pure Performance | 4 x 2 | ✓ | ✓ |
| 5 door SUV | Electric | GTX | 4 x 4 | ✓ | ✓ |

Tested variant: Volkswagen ID.4, rear drive

Annual Reviews and Facelifts

| Date | Event | Outcome | | |
|------------|------------------|--------------|---|--|
| March 2022 | Rating Published | 2021 🖈 🖈 🖈 ★ | ✓ | |